

Department of Defense

252.236-7007

(5) Operate mobile equipment according to the safety provisions of this clause, while actually performing work on the airfield. At all other times, the Contractor shall remove all mobile equipment to locations—

(i) Approved by the Contracting Officer;

(ii) At a distance of at least 750 feet from the runway centerline, plus any additional distance; and

(iii) Necessary to ensure compliance with the other provisions of this clause; and

(6) Not open a trench unless material is on hand and ready for placing in the trench. As soon as practicable after material has been placed and work approved, the Contractor shall backfill and compact trenches as required by the contract. Meanwhile, all hazardous conditions shall be marked and lighted in accordance with the other provisions of this clause.

(d) *Landing areas.* The Contractor shall—

(1) Place nothing upon the landing areas without the authorization of the Contracting Officer;

(2) Outline those landing areas hazardous to aircraft, using (unless otherwise authorized by the Contracting Officer) red flags by day, and electric, battery-operated low-intensity red flasher lights by night;

(3) Obtain, at an airfield where flying is controlled, additional permission from the control tower operator every time before entering any landing area, unless the landing area is marked as hazardous in accordance with paragraph (d)(2) of this clause;

(4) Identify all vehicles it operates in landing areas by means of a flag on a staff attached to, and flying above, the vehicle. The flag shall be three feet square, and consist of a checkered pattern of international orange and white squares of 1 foot on each side (except that the flag may vary up to ten percent from each of these dimensions);

(5) Mark all other equipment and materials in the landing areas, using the same marking devices as in paragraph (d)(2) of this clause; and

(6) Perform work so as to leave that portion of the landing area which is available to aircraft free from hazards, holes, piles of material, and projecting shoulders that might damage an airplane tire.

(e) *Safety precaution areas.* The Contractor shall—

(1) Place nothing upon the safety precaution areas without authorization of the Contracting Officer;

(2) Mark all equipment and materials in safety precaution areas, using (unless otherwise authorized by the Contracting Officer) red flags by day, and electric, battery-operated, low-intensity red flasher lights by night; and

(3) Provide all objects placed in safety precaution areas with a red light or red lantern at night, if the objects project above the ap-

proach-departure clearance surface or above the transitional surface.

(End of clause)

252.236-7006 Cost limitation.

As prescribed in 236.570(b)(4), use the following provision:

COST LIMITATION (JAN 1997)

(a) Certain items in this solicitation are subject to statutory cost limitations. The limitations are stated in the Schedule.

(b) An offer which does not state separate prices for the items identified in the Schedule as subject to a cost limitation may be considered nonresponsive.

(c) Prices stated in offers for items subject to cost limitations shall include an appropriate apportionment of all costs, direct and indirect, overhead, and profit.

(d) Offers may be rejected which—

(1) Are materially unbalanced for the purpose of bringing items within cost limitations; or

(2) Exceed the cost limitations, unless the limitations have been waived by the Government prior to award.

(End of provision)

[56 FR 36479, July 31, 1991, as amended at 62 FR 2615, Jan. 17, 1997]

252.236-7007 Additive or deductive items.

As prescribed in 236.570(b)(5), use the following provision:

ADDITIVE OR DEDUCTIVE ITEMS (DEC 1991)

(a) The low offeror and the items to be awarded shall be determined as follows—

(1) Prior to the opening of bids, the Government will determine the amount of funds available for the project.

(2) The low offeror shall be the Offeror that—

(i) Is otherwise eligible for award; and

(ii) Offers the lowest aggregate amount for the first or base bid item, plus or minus (in the order stated in the list of priorities in the bid schedule) those additive or deductive items that provide the most features within the funds determined available.

(3) The Contracting Officer shall evaluate all bids on the basis of the same additive or deductive items.

(i) If adding another item from the bid schedule list of priorities would make the award exceed the available funds for all offerors, the Contracting Officer will skip that item and go to the next item from the bid schedule of priorities; and